

## **Edited TeX manuscript**

\documentclass{article} \begin{document}

\section{Introduction}

We know that according to the \textbf{Theory of Relativity} and Einstein's famous equation of mass-energy equivalence,

\begin{equation}  $E = mc^{2},$ \end{equation}

that the speed of light is constant and nothing can travel faster than light, which is  $3 \times 10^{8} \text{ m/s} \times 10^{8} \text{ m/s}$ true that the speed of light \emph{in vacuum} is constant, it can vary while travelling through different materials and might be significantly less than c. For example, the speed of light in water is only  $0.75 \ge 10^{5} \le 10^{5} \le$ what it is in vacuum. What is interesting is that matter can be accelerated beyond this speed, for example, in nuclear reactors and particle accelerators \cite{R3,R4,R5}. When that happens, that is, when a charged particle travels in a medium (actually a "dielectric") faster than what light can travel at, it gives rise to what is known as  $textbf{Cherenkov radiation} \cite{R6,R7},$ which in simple terms is an equivalent of a sonic boom for light. This radiation propagates in a cone whose half angle \$\theta\$ can be expressed as

\begin{equation}  $\cos \theta_{1} \in \{1\} \\$ \end{equation}

where \$\eta\$ is the refractive index of the medium and \$\beta\$ is the ratio of the speed of the particle and the speed of light.

\end{document}





## Accompanying PDF showing edit in Track Changes

\documentclass{article} \begin{document}

\section { Introduction }

We knewknow that from Einstein's popular equation, which is according to the \textbf{Theory of Relativity} thatand Einstein's famous equation of mass and -energy have equivalence relationship, that is,

\begin{equation}  $E=mc^{2}$ \end{equation}

sothat the speed of light is constant and nothing can travel faster than light, which is \$3 \times 10^{8} m/s\$ \cite{R1,R2}. ButHowever, while it reminds remains true that the truth that the spedspeed of light \emph{in vacuum} is constant, it can changevary while travelling through several materialdifferent materials and is might be significantly less than c. E.g., For example, the speed of light in water is only 0.75\emph{c}, that is, or 75\% of what it is in vacuum. It What is interesting to know is that matter can be accelelated overaccelerated beyond this speed, like that for example, in nuclear reactions reactors and particle accelerations accelerators \cite{R3,R4,R5}. When such an event that happens-, that is, when a charged particle travels in a medium (sayactually a ``dielectric") faster than what light can travel at, it gives rise to commonly called what is known as \textbf{Cherenkov radiation} \cite{R6,R7}, simply said this which in simple terms is an equivalent of thea sonic boom for light. This radiation propagates asin a cone whose half angle \$\theta\$ can be expressed as

\begin{equation}  $\cos \theta_{1} \in \{1\} \in \mathbb{R}, \$ \end{equation}

where \$\eta\$ is the refractive index of the medium and \$\beta\$ is the ratio of the speed of the particle and the speed of the light.

\end{document}

Comment [A1]: Please confirm that your intended meaning has been conveyed accurately.

Comment [A2]: Avoid using the abbreviated form "e.g." at the beginning of a sentence.

Comment [A3]: It is incorrect to place a colon after a preposition.

